

## **Appendix D2**

### **Substances Tested in the *In Vitro* ER Binding Assays**

### **References**

*[This page intentionally left blank]*

## References

- Acton, D., Hill, G., Tait, B.S. (1983) Tricyclic triarylethylene antiestrogens: dibenz[*b,f*]oxepins, dibenzo[*b,f*]thiepins, dibenzo[*a,e*]cyclooctenes, and dibenzo[*b,f*]thiocins. *J Med Chem* 26:1131-1137.
- Allen, K.E., Clark, E.R., Jordan, V.C. (1980) Evidence for the metabolic activation of non-steroidal antioestrogens: a study of structure-activity relationships. *Br J Pharmacol* 71:83-91.
- Andersen, H.R., Anderson, A.-M., Arnold, S.F., Autrup, H., Barfoed, M., Beresford, N.A., Bjerregaard, P., Christiansen, L.B., Gissel, B., Hummel, R., Jorgensen, E.B., Korsgaard, B., Guevel, R.L., Leffers, H., McLachlan, J., Moller, A., Nielsen, J.B., Olea, N., Oles-Karasko, A., Pakdel, F., Pedersen, K.L., Perez, P., Skakkeboek, N.E., Sonnenschein, C., Soto, A.M., Sumpter, J.P., Thorpe, S.M., Grandjean, P. (1999) Comparison of short-term estrogenicity tests for identification of hormone-disrupting chemicals. *Environ Health Perspect* 107 (Suppl. 1):89-108.
- Anstead, G.M., Peterson, C.S., Pinney, K.G., Wilson, S.R., Katzenellenbogen, J.A. (1990) Torsionally and hydrophobically modified 2,3-diarylindenes as estrogen receptor ligands. *J Med Chem* 33:2726-2734.
- Anstead, G.M., Wilson, S.R., Katzenellenbogen, J.A. (1989) 2-Arylindenes and 2-arylindenones: Molecular structures and considerations in the binding orientation of unsymmetrical nonsteroidal ligands to the estrogen receptor. *J Med Chem* 32:2163-2171.
- Arcaro, K.F., Yang, Y., Vakharia, D.D., Gierthy, J.F. (2000) Toxaphene is antiestrogenic in a human breast-cancer cell assay. *J Toxicol Environ Health* 59:197-210.
- Arcaro, K.F., Yi, L., Seegal, R.F., Vakharia, D.D., Yang, Y., Spink, D.C., Brosch, K., Gierthy, J.F. (1999) 2,2',6,6'-Tetrachlorobiphenyl is estrogenic *in vitro* and *in vivo*. *J Cell Biochem* 72:94-102.
- Ashby, J., Tinwell, H.W., Pennie, W., Brooks, A.N., Lefevre, P.A., Beresford, N., Sumpter, J.P. (1999) Partial and weak oestrogenicity of the red wine constituent resveratrol: Consideration of its superagonist activity in MCF-7 cells and its suggested cardiovascular protective effects. *J Appl Toxicol* 19:39-45.
- Blair, R.M., Fang, H., Branham, W.S., Hass, B.S., Dial, S.L., Moland, C.L., Tong, W., Shi, L., Perkins, R., Sheehan, D.M. (2000) The estrogen receptor relative binding affinities of 188 natural and xenochemicals: Structural diversity of ligands. *Toxicol Sci* 54:138-153.
- Bolger, R., Wiese, T.E., Ervin, K., Nestich, S., Checovich, W. (1998) Rapid screening of environmental chemicals for estrogen receptor binding capacity. *Environ Health Perspect* 106:551-557.

Brooks, S.C., Wappler, N.L., Corombos, J.D., Doherty, L.M. (1987) Estrogen structure-receptor function relationships. In: Recent Advances in Steroid Hormone Action (Moudgil, V.K., ed). Berlin and New York:De Gruyter, 443-466.

Chae, K., Gibson, M.K., Korach, K.S. (1991) Estrogen receptor stereochemistry: Ligand binding orientation and influence on biological activity. Mol Pharmacol 40:806-811.

Connor, K., Ramamoorthy, K., Moore, M., Mustain, M., Chen, I., Safe, S., Zacharewski, T., Gillesby, B., Joyeux, A., Balaguer, P. (1997) Hydroxylated polychlorinated biphenyls (PCBs) as estrogens and antiestrogens: Structure-activity relationships. Toxicol Appl Pharmacol 145:111-123.

Dodge, J.A., Glasebrook, A.L., Magee, D.E., Phillips, D.L., Sato, M., Short, L.L., Bryant, H.U. (1996) Environmental estrogens: Effects on cholesterol lowering and bone in the ovariectomized rat. J Steroid Biochem Mol Biol 59:155-161.

Elsby, R., Ashby, J., Sumpter, J.P., Brooks, A.N., Pennie, W.D., Maggs, J.L., Lefevre, P.A., Odum, J., Beresford, N., Paton, D., Park, B.K. (2000) Obstacles to the prediction of estrogenicity from chemical structure: Assay-mediated metabolic transformation and the apparent promiscuous nature of the estrogen receptor. Biochem Pharmacol 60:1519-1530.

Fang, H., Tong, W., Shi, L.M., Blair, R., Perkins, R., Branham, W., Hass, B.S., Xie, Q., Dial, S.L., Moland, C.L., Sheehan, D.M. (2001) Structure-activity relationships for a large diverse set of natural, synthetic, and environmental estrogens. Chem Res Toxicol 14:280-294.

Fertuck, K.C., Matthews, J.B., Zacharewski, T.R. (2001) Hydroxylated benzo[a]pyrene metabolites are responsible for *in vitro* estrogen receptor-mediated gene expression induced by benzo[a]pyrene, but do not elicit uterotrophic effects *in vivo*. Toxicol Sci 59:231-240.

Fielden, M.R., Chen, I., Chittim, B., Safe, S.H., Zacharewski, T.R. (1997) Examination of the estrogenicity of 2,4,6,2',6'-pentachlorobiphenyl (PCB 104), its hydroxylated metabolite 2,4,6,2'6'-pentachloro-4-biphenylol (HO-PCB 104), and a further chlorinated derivative, 2,4,6,2',4',6'-hexachlorobiphenyl (PCB 155). Environ Health Perspect 105:1238-1248.

Gabbard, R.B., Segaloff, A. (1983) Structure-activity relationships of estrogens. Effects of 14-dehydrogenaton and axial methyl groups at C-7, C-9 and C-11. Steroids 41:791-805.

Gaido, K.W., Leonard, L.S., Maness, S.C., Hall, J.M., McDonnell, D.P., Saville, B., Safe, S.H. (1999) Differential interaction of the methoxychlor metabolite 2,2-bis-(*p*-hydroxyphenyl)-1,1,-trichloroethane with estrogen receptors . Endocrinology 140:5746-5753

Hanioka, N., Jinno, H., Tanaka-Kagawa, T., Nishimura, T., Ando, M. (1999) *In vitro* metabolism of simazine, atrazine and propazine by hepatic cytochrome P450 enzymes of rat, mouse and guinea pig, and oestrogenic activity of chlorotriazines and their main metabolites. Xenobiotica 29:1213-1226.

Hashimoto, Y., Moriguchi, Y., Oshima, H., Nishikawa, J., Nishihara, T., Nakamura, M. (2000) Estrogenic activity of chemicals for dental and similar use *in vitro*. *J Mater Sci-Mater Med* 11:465-468.

Jaimez, R., Cooney, A., Jackson, K., Lemus, A.E., Limini, C., Cardenas, M., Garcia, R., Silva, G., Larrea, F. (2000) *In vivo* estrogen bioactivities and *in vitro* estrogen receptor binding and transcriptional activities of anticoagulant synthetic 17 $\beta$ -aminoestrogens. *J Biochem Mol Biol* 73:59-66.

Jordan, V.C., Koch, R., Mittal, S., Schneider, M.R. (1986) Oestrogenic and antioestrogenic actions in a series of triphenylbut-1-enes: Modulation of prolactin synthesis *in vitro*. *Br J Pharmacol* 87:217-223.

Klotz, D.M., Beckman, B.S., Hill, S.M., McLachlan, J.A., Walters, M.R., Arnold, S.F. (1996) Identification of environmental chemicals with estrogenic activity using a combination of *in vitro* assays. *Environ Health Perspect* 104:1084-1089.

Korach, K.S. (1979) Estrogen action in the mouse uterus: Characterization of the cytosol and nuclear receptor systems. *Endocrinology* 104:1324-1332.

Korach, K.S., Chae, K., Levy, L.A., Duax, W.L., Sarver, P.J. (1989) Diethylstilbestrol metabolites and analogs -- Stereochemical probes for the estrogen receptor binding site. *J Biol Chem* 264:5642-5647.

Korach, K.S., Metzler, M., McLachlan, J.A. (1978) Estrogenic activity *in vivo* and *in vitro* of some diethylstilbestrol metabolites and analogs. *Proc Natl Acad Sci USA* 75:468-471.

Korach, K.S., Metzler, M., McLachlan, J.A. (1979) Diethylstilbestrol metabolites and analogs -- New probes for the study of hormone action. *J Biol Chem* 254:8963-8968.

Korach, K.S., Fox-Davies, C., Quarmby, V.E., Swaisgood, M.G. (1985) Diethylstilbestrol metabolites and analogs – Biochemical probes for differential stimulation of uterine estrogen responses. *J Biol Chem* 260:1540-15426.

Korach, K.S., Sarver, P., Chae, K., McLachlan, J.D. (1988) Estrogen receptor-binding activity of polychlorinated hydroxybiphenyls: Conformationally restricted structural probes. *Mol Pharmacol* 33:120-126.

Korenman, S.G. (1969) Comparative binding affinity of estrogens and its relation to estrogenic potency. *Steroids*:163-177.

Korenman, S.G. (1970) Relation between estrogen inhibitory activity and binding to cytosol of rabbit and human uterus. *87:1119-1123*.

Kraichely, D.M., Sun, J., Katzenellenbogen, J.A., Katzenellenbogen, B.S. (2000) Conformational changes and coactivator recruitment by novel ligands for estrogen receptor-

and estrogen receptor- : Correlation with biological character and distinct differences among SRC coactivator family members. *Endocrinology* 141:3534-3545.

Kramer, V.J., Helferich, W.G., Bergman, A., Klasson-Wehler, E., Giesy, J.P. (1997) Hydroxylated polychlorinated biphenyl metabolites are anti-estrogenic in a stably transfected human breast adenocarcinoma (MCF7) cell line. *Toxicol Appl Pharmacol* 144:363-376.

Kuiper, G.G.J.M., Carlsson, B., Grandien, K., Enmark, E., Hagglad, J., Nilsson, S., Gustafsson, J.-A. (1997) Comparison of the ligand binding specificity and transcript tissue distribution of estrogen receptors  $\alpha$  and  $\beta$ . *Endocrinology* 138:863-870.

Kuiper, G.G.J.M., Lemmen, J.G., Carlsson, B., Corton, J.C., Safe, S.H., Saag, P.T., Burg, B., Gustafsson, J.-A. (1998) Interaction of estrogenic chemicals and phytoestrogens with estrogen receptor  $\beta$ . *Endocrinology* 139:4252-4263.

Lascombe, I., Beffa, D., Ruegg, U., Tarradellas, J., Wahli, W. (2000) Estrogenic activity assessment of environmental chemicals using *in vitro* assays: Identification of two new estrogenic compounds. *Environ Health Perspect* 108:621-629.

Laws, S.C., Carey, S.A., Ferrell, J.M., Bodman, G.J., Cooper, R.L. (2000) Estrogenic activity of octylphenol, bisphenol A and methoxychlor in rats. *Toxicol Sci* 54:154-167.

Laws, S.C., Carey, S.A., Kelce, W.R., Cooper, R.L., Gray, L.E., Jr. (1996) Vinclozolin does not alter progesterone receptor (PR) function *in vivo* despite inhibition of PR binding by its metabolites *in vitro*. *Toxicology* 112:173-182.

Leibl, H., Spona, J., (1982) Differential stimulation by  $17\beta$ -estradiol and synthetic estrogens of progesterone-receptor and of translocation of estrogen-receptor in rat pituitary and uterus. *Endocrinology* 110:265-271.

Liu, H., Wormke, M., Safe, S.H., Bjeldanes, L.F. (1994) Indolo[3,2-*b*]carbazole: A dietary-derived factor that exhibits both antiestrogenic and estrogenic activity. *J Natl Cancer Inst* 86:1758-1765.

Matthews, J., Celius, T., Halgren, R., Zacharewski, T. (2000) Differential estrogen receptor binding of estrogenic substances: A species comparison. *J Steroid Biochem Mol Biol* 74:223-234.

Matthews, J., Zacharewski, T. (2000) Differential binding affinities of PCBs, HO-PCBs, and aroclors with recombinant human, rainbow trout (*Oncorhynchus mykiss*), and green anole (*Anolis carolinensis*) estrogen receptors, using a semi-high throughput competitive binding assay. *Toxicol Sci* 53:326-339.

Matthews, J.B., Twomey, K., Zacharewski, T.R. (2001) *In vitro* and *in vivo* interactions of bisphenol A and its metabolite, bisphenol A glucuronide, with estrogen receptors  $\alpha$  and  $\beta$ . *Chem Res Toxicol* 14:149-157.

McBlain, W.A. (1987) The levo enantiomer of *o,p'*-DDT inhibits the binding of 17 $\beta$ -estradiol to the estrogen receptor. *Life Sci* 40:215-221.

Meyers, M.J., Sun, J., Carlson, K.E., Katzenellenbogen, B.S., Katzenellenbogen, J.A. (1999) Estrogen receptor subtype-selective ligands: Asymmetric synthesis and biological evaluation of *cis*- and *trans*-5,11-Dialkyl-5,6,11,12-tetrahydrochrysenes. *J Med Chem* 42:2456-2468.

Miodini, P., Fioravanti, L., Di Fronzo, G., Cappelletti, V. (1999) The two phyto-oestrogens genistein and quercetin exert different effects on oestrogen receptor function. *Br J Cancer* 80:1150-1155.

Morito, K., Hirose, T., Kinjo, J., Hirakawa, T., Okawa, M., Nohara, T., Ogawa, S., Inoue, S., Muramatsu, M., Masamune, Y. (2001). Interaction of phytoestrogens with estrogen receptors and  $\beta$ . *Biol Pharm Bull* 24:351-356.

Nagel, S.C., Saal, F.Sv., Thayer, K.A., Dhar, M.G., Boechler, M., Welshons, W.V. (1997) Relative binding affinity-serum modified access (RBA-SMA) assay predicts the relative *in vivo* bioactivity of the xenoestrogens, bisphenol A and octylphenol. *Environ Health Perspect* 105:70-76.

Nelson, J.A. (1974) Effects of dichlorodiphenyltrichloroethane (DDT) analogs and polychlorinated biphenyl (PCB) mixtures on 17 $\beta$ -[ $^3$ H]estradiol binding to rat uterine receptor. *Biochem Pharmacol* 23(2):447-451.

Nikov, G.N., Eshete, M., Rajnarayanan, R.V., Alworth, W.L. (2001) Interactions of synthetic estrogens with human estrogen receptors. *J Endocrinol* 170:137-145.

Nikov, G.N., Hopkins, N.E., Boue, S., Alworth, W.L. (2000) Interactions of dietary estrogens with human estrogen receptors and the effect on estrogen receptor-estrogen response element complex formation. *Environ Health Perspect* 108:867-872.

Olea, N., Pulgar, R., Perez, P., Olea-Serrano, F., Rivas, A., Novillo-Fetrell, A., Pedraza, V., Soto, A.M., Sonnenschein, C. (1996) Estrogenicity of resin-based composites and sealants used in dentistry. *Environ Health Perspect* 104:298-305.

Palomino, E., Heeg, M.J., Horwitz, J.P., Polin, L., Brooks, S.C. (1994) Skeletal conformations and receptor binding of some 9,11-modified estradiols. *J Steroid Biochem Mol Biol* 50:75-84.

Parker, G.J., Law, T.L., Lenoch, F.J., Bolger, R.E. (2000) Development of high throughput screening assays using fluorescence polarization: Nuclear receptor-ligand-binding and kinase/phosphatase assays. *J Biomol Screen* 5:77-88.

Perez, P., Pulgar, R., Olea-Serrano, F., Villalobos, M., Rivas, A., Metzler, M., Pedraza, V., Olea, N. (1998) The estrogenicity of bisphenol A-related diphenylalkanes with various substituents at the central carbon and the hydroxy groups. *Environ Health Perspect* 106:167-174.

Qian, X., Abul-Hajj, Y.J. (1990) Synthesis and biologic activities of 11 $\beta$ -substituted estradiol as potential antiestrogens. *Steroids* 55:238-241.

Ramamoorthy, K., Vyhildal, C., Wang, F., Chen, I.-C., Safe, S., McDonnell, D.P., Leonard, L.S., Gaido, K.W. (1997b) Additive estrogenic activities of a binary mixture of 2',4',6'-trichloro- and 2',3',4',5'-tetrachloro-4-biphenylol. *Toxicol Appl Pharmacol* 147:93-100.

Ramamoorthy, K., Wang, F., Chen, I.-C., Norris, J.D., McDonnell, D.P., Leonard, L.S., Gaido, K.W., Bocchinfuso, W.P., Korach, K.S., Safe, S. (1997a) Estrogenic activity of a dieldrin/toxaphene mixture in the mouse uterus, MCF-7 human breast cancer cells, and yeast-based estrogen receptor assays: No apparent synergism. *Endocrinology* 138:1520-1527.

Rijks, L.J.M., Boer, G.J., Endert, E., de Bruin, K., van den Bos, J.C., van Doremalen, P.A.P.M., Schoonen, W.G.E.J., Janssen, A.G.M., van Royen, E.A. (1996) The stereoisomers of 17-[<sup>123</sup>I]iodovinyloestradiol and its 11-methoxy derivative evaluated for their oestrogen receptor binding in human MCF-7 cells and rat uterus, and their distribution in immature rats. *European J Nucl Med* 23:295-307.

Routledge, E.J., Parker, J., Odum, J., Ashby, J., Sumpter, J.P. (1998) Some alkyl hydroxy benzoate preservatives (parabens) are estrogenic. *Toxicol Appl Pharmacol* 153:12-19.

Saito, K., Tomigahara, Y., Ohe, N., Isobe, N., Nakatsuka, I., Kaneko, H. (2000) Lack of significant estrogenic or antiestrogenic activity of pyrethroid insecticides in three *in vitro* assays based on classic estrogen receptor-mediated mechanisms. *Toxicol Sci* 57:54-60.

Shelby, M.D., Newbold, R.R., Tully, D.B., Chae, K., Davis, V.L. (1996) Assessing environmental chemicals for estrogenicity using a combination of *in vitro* and *in vivo* assays. *Environ Health Perspect* 104:1296-1300.

Soto, A.M., Sonnenschein, C., Chung, K.L., Fernandez, M.F., Olea, N., Serrano, F.O. (1995) The E-SCREEN assay as a tool to identify estrogens: An update on estrogenic environmental pollutants. *Environ Health Perspect* 103(Suppl 7):113-122.

Stoessel, S., Leclercq, G. (1986) Competitive binding assay for estrogen receptor in monolayer culture: Measure of receptor activation potency. *J Steroid Biochem Mol Biol* 25:677-682.

Sun, J., Meyers, M.J., Fink, B.E., Rajendran, R., Katzenellenbogen, J.A., Katzenellenbogen, B.S. (1999) Novel ligands that function as selective estrogens or antiestrogens for estrogen receptor- or estrogen receptor-. *Endocrinology* 140:800-804.

Vakharia D., Gierthy, J. (1999) Rapid assay for oestrogen receptor binding to PCB metabolites. *Toxicol In Vitro* 13:275-282

Vakharia, D.D., Gierthy, J.F. (2000) Use of a combined human liver microsome-estrogen receptor binding assay to assess potential estrogen modulating activity of PCB metabolites. *Toxicol Lett* 14:55-65.

VanderKuur, J.A., Wiese, T., Brooks, S.C. (1993) Influence of estrogen structure on nuclear binding and progesterone receptor induction by the receptor complex. *Biochemistry* 32:7002-7008.

Waller, C.L., Oprea, T.I., Chae, K., Park, H.-K., Korach, K.S., Laws, S.C., Wiese, T.E., Kelce, W.R., Gray, L.E., Jr. (1996) Ligand-based identification of environmental estrogens. *Chem Res Toxicol* 9:1240-1248.

Zacharewski, T.R., Meek, M.D., Clemons, J.H., Wu, Z.F., Fielden, M.R., Matthews, J.B. (1998) Examination of the *in vitro* and *in vivo* estrogenic activities of eight commercial phthalate esters. *Toxicol Sci* 46:282-293.

*[This page intentionally left blank]*